

Link do produktu: <https://dronexpert.eu/kamera-foxeer-digisight-2-nano-720p-4ms-latency-super-wdr-fpv-shark-byte-digital-camera-p-14885.html>



## Kamera Foxeer Digisight 2 Nano 720P 4ms Latency Super WDR FPV Shark Byte Digital Camera

|                |                                                                         |
|----------------|-------------------------------------------------------------------------|
| Cena brutto    | <b>239,00 zł</b>                                                        |
| Cena netto     | <b>194,31 zł</b>                                                        |
| Dostępność     | <b>Dostępna mała ilość Zapytaj o dostępność/Wysyłka/Odbiór osobisty</b> |
| Kod producenta | <b>HS1260</b>                                                           |
| Producent      | <b>FOXEEER</b>                                                          |

### Opis produktu

|                      |                                                                    |
|----------------------|--------------------------------------------------------------------|
| Sensor Type          | Sony 1/3" CMOS Sensor                                              |
| Scale                | 4:3(default)/16:9 Switchable                                       |
| Tv System            | PAL(default)/NTSC Switchable                                       |
| Resolution           | Digital 720P                                                       |
| Shutter Speed        | PAL 1/25~1/10000 sec; NTSC 1/30~1/10000 sec                        |
| Video Output         | 720P Digital HD                                                    |
| FOV                  | Digital: FOV-H:120° FOV-D: 145°                                    |
| Shutter Speed        | Analog: FOV-H:125° FOV-D: 155°                                     |
| Minimum Illumination | Auto                                                               |
| White Balance        | 0.01Lux                                                            |
| DNR                  | Auto                                                               |
| WDR                  | 3DNR 2DNR                                                          |
| Mode                 | 120dB                                                              |
| Fast Mode Switch     | DAY/CLOUDY/Night/LED                                               |
| Flight OSD           | Long Press Right Button to switch among DAY/CLOUDY/Night/LED       |
| Input Power          | Cam Title / Time                                                   |
| Language             | 3.3V from VTx                                                      |
| Working Temperature  | ENGLISH/ DEUTSCH/ FRANCAIS/ PYCCKNN/ PORTUGUES/ ESPANOL/ 中文        |
| Working Humidity     | -10°~50°C RH90% MAX                                                |
| Storage Temperature  | 20~80%                                                             |
| Menu                 | -20°~70°C                                                          |
| Consumption          | Analog via camera programming board, Digital via VTx and Cam board |
| Cable Length         | Digital:350mA@3.3V(Powered by VTx)                                 |
| Dimension            | 150mm                                                              |
| Weight               | 14*14mm; 19*19mm(Add Bracket)                                      |
|                      | 5.1g(Exclude cable)                                                |



## HD CAMERA

# DigiSight

# 2



Super WDR  
Function



Smallest  
HD FPV Cam



Resolution



4ms Latency



Mode Quick Switch



OSD



4:3 / 16:9  
(Switchable)



NTSC / PAL  
(Switchable)



Power  
Requirement



Image Flip





Unit of length: mm

Produkt posiada dodatkowe opcje:

**Kolor:** Czarny , Czerwony