

Link do produktu: <https://dronexpert.eu/kamera-foxeer-micro-toothless-2-fov-switchable-fpv-starlight-camera-12-sensor-super-hdr-p-14914.html>



Kamera Foxeer Micro Toothless 2 FOV Switchable FPV StarLight Camera 1/2" Sensor Super HDR


Cena brutto	169,00 zł
Cena netto	137,40 zł
Dostępność	Aktualnie niedostępny
Kod producenta	HS1246
Producent	FOXEEER


Opis produktu

Sensor Type	Sony 1/2" CMOS Sensor
Scale	4:3/16:9 Switchable
Tv System	PAL/NTSC Switchable
Resolution	1200TVL
FOV	4:3 WIDE FOV-H: 145° FOV-D:180° 4:3 NARROW FOV-H: 125° FOV-D:160° 16:9 FOV-H: 145° FOV-D:165°
Shutter Speed	PAL 1/25~1/10000 sec; NTSC 1/30~1/10000 sec
Video Output	CVBS Analog Signal
Minimum Illumination	0.0001Lux
White Balance	Auto
DNR	3DNR
WDR	100dB
DAY/NIGHT	EXT/Auto/Color/B&W
Flight OSD	Voltage/Cam Title/Time
Input Voltage	3.8V~16V
Language	ENGLISH / 中文 / PYCCKNN / ESPANOL / ITALIANO / FRANCAIS/POLSKIM/ PORTUGUES / русский / EAAHNIKA
Working Temperature	-10°~50°C RH90% MAX
Working Humidity	20~80%
Storage Temperature	-20°~70°C
Consumption	80mA±15% @ DC12V 170mA±15% @ DC5V
Dimension	19*19mm
Weight	8.5g(Exclude cable)




**Freestyle FOV & Fixed Wing
angle switchable**





FULL WEATHER CAMERA


Fly at anytime! Day and Night, Sunrise and sunset!



Camera Control




SUPPORT OSD & MENU REMOTE CONTROL WITH FOX EER F405 AIO & F722 DUAL FC



Access the Camera Setting Menu



Unit of length: mm



	1 x Foxyer micro Toothless camera		4 x Bracket Screws 4 x Gasket Ring
	1 x OSD Board		1 x Manual
	1 x 2pin OSD Cable		1 x Servo Cable to TBS Unify VTX (150mm)

Produkt posiada dodatkowe opcje:

Kolor: Biały , Czarny