

Link do produktu: <https://dronexpert.eu/kamera-foxeer-nano-predator-5-racing-camera-4ms-latency-super-wdr-p-14904.html>



## Kamera Foxeer Nano Predator 5 Racing Camera 4ms Latency Super WDR

|                |                                                                         |
|----------------|-------------------------------------------------------------------------|
| Cena brutto    | <b>189,00 zł</b>                                                        |
| Cena netto     | <b>153,66 zł</b>                                                        |
| Dostępność     | <b>Dostępna mała ilość Zapytaj o dostępność/Wysyłka/Odbiór osobisty</b> |
| Kod producenta | <b>HS1250</b>                                                           |
| Producent      | <b>FOXEEER</b>                                                          |

### Opis produktu

|                      |                                                              |
|----------------------|--------------------------------------------------------------|
| Sensor Type          | Sony 1/3" CMOS Sensor                                        |
| Scale                | 4:3(default)/16:9 Switchable                                 |
| Tv System            | PAL(default)/NTSC Switchable                                 |
| Resolution           | 1000TVL                                                      |
| Shutter Speed        | PAL 1/25~1/10000 sec; NTSC 1/30~1/10000 sec                  |
| Video Output         | CVBS Analog Signal                                           |
| FOV                  | FOV-H:125° FOV-D: 155°                                       |
| Shutter Speed        | Auto                                                         |
| Minimum Illumination | 0.01Lux                                                      |
| White Balance        | Auto                                                         |
| DNR                  | 3DNR 2DNR                                                    |
| WDR                  | Super WDR                                                    |
| Mode                 | DAY/CLOUDY/Night/LED                                         |
| Fast Mode Switch     | Long Press Right Button to switch among DAY/CLOUDY/Night/LED |
| Flight OSD           | Voltage/Cam Title/Time/Cross Hair                            |
| Input Voltage        | 4.5V~20V                                                     |
| Language             | ENGLISH/ DEUTSCH/ FRANCAIS/ PYCCKNN/ PORTUGUES/ ESPANOL/ □□  |
| Working Temperature  | -10°~50°C RH90% MAX                                          |
| Working Humidity     | 20~80%                                                       |
| Storage Temperature  | -20°~70°C                                                    |
| Consumption          | 50mA±15% @ DC12V 115mA±15% @ DC5V                            |
| Dimension            | 14*14mm; 19*19mm(Add Bracket)                                |
| Weight               | Plug:4.8g Solder Pad:4.3g(Exclude cable)                     |

1.7mm 8MP Lens



Plug Version / Pad Version

# Predator 5 Nano



Super WDR  
Function



1000TVL



4.5-20V input



4ms Latency



Mode Quick Switch



OSD



4:3 / 16:9  
(Switchable)



NTSC / PAL  
(Switchable)



Cross Hair




Image Flip



1.7mm Lens  
Perfect 155° FOV for Racing



More Natural Color  
Super Crisp Image



Predator 5



Predator 4

**ROBSTAR Oddział Dronexpert.eu & UAVO.TV**


Authorised Reseller DJI

ul. Ożarowska 61, Warszawa

tel. 501832306, 507273177, 501750577

---

## Support OSD & Menu Remote Control With Foxeer FC



Access the Camera Setting Menu



Access the Screen OSD Setting



**ROBSTAR Oddział Dronexpert.eu & UAVO.TV**

Authorised Reseller DJI


ul. Ożarowska 61, Warszawa

tel. 501832306, 507273177, 501750577




---


Plug Version

Unit of length: mm



Pad Version



|                                                                                                                                                                                  |                               |                                                                                     |                                                                     |
|----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-------------------------------|-------------------------------------------------------------------------------------|---------------------------------------------------------------------|
| <br>or<br> | 1 x Foxeer<br>Predator 5 Nano |  | 4 x (M2x4)Screws<br>4x Bracket Ring<br>4 x (M2x6)<br>Bracket Screws |
|                                                                                               | 1 x OSD Board                 |  | 1 x 2pin OSD Cable                                                  |
|                                                                                               | 1 x Bracket                   |  | 1 x Servo Cable                                                     |

Produkt posiada dodatkowe opcje:

**Kolor:** Czerwony